Single

COUNTY DITCH PETITION

Single or Joint

Revised Code, Secs. 6131.04; 6133.02, .03

Harris Township, Ottawa County, Ohio,

January, 2013

Petition to ¹ clean, tile, or reconstruct any or all drainage structures or waterways necessary to minimize flooding and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various sections of Harris Township.

To the Board of County Commissioners, Ottawa, County, Ohio:

The undersigned hereby petition ___your honorable body to ¹ initiate the process of cleaning, tiling, or reconstructing any or all drainage structures or waterways necessary to minimize flooding and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various sections of Harris Township.

On the course hereinafter set forth.

The construction of the improvement is necessary, will benefit the petitioner(s), and will be conducive to the public welfare.

The following is the course and termini of said proposed improvement, to-wit:

Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, T6N-R14E in Harris Township, Ottawa County, presently marked by an 18" RCP cross over pipe conveying surface runoff from the West side to the East side of Hessville Road, thence proceeding in a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet.

Petition shall also provide consideration of all contributing channels, structures, and/or waterways that may need some form of construction/reconstruction necessary to properly drain the watershed areas being described.

All costs of engineering, construction, and future maintenance will be assessed to the benefiting parcels of land, except under Section 6131.31 of the Revised Code.

The following is the nature of the work petitioned for: Petitioner requests to have whatever work done that is necessary to provide positive drainage for the above described areas. Said work shall include, but not be limited to, cleaning existing waterways, creating new waterways, cleaning or fixing existing storm sewers and cross-over pipes, or installing new storm and cross-over pipes.

A list of the names, addresses, where known, of all the owners of the land which the petitioner or the County Engineer claims will be benefited or damaged by the construction of the proposed improvement is as follows:

See attached list.

Service of notice of the filing of the Petition shall be obtained by ²

Mailing notices and publications as provided in Section 6131.07 R.C.

Melon Brough	———	D
		Petitioners.

1. Locate, clean, remove obstructions from, construct, straighten, deepen, widen, alter, box, tile, fill, etc., Sec. 6131.04, R.C.

2. Here insert "Mailing notices and publication as provided in Sec. 6131.07. R.C."

Single or Joint COUNTY DITCH No. PRITTIONED FOR BY PROCEEDINGS TO. Single of Joint Single of Joint COUNTY DITCH PETITION Single of Joint	Filed , 20
---	------------

BOND

(TO BE FILED WITH DITCH PETITION)

Revised Code, Sec. 6131..06

KNOW ALL MEN BY THESE PRESENTS, That we,

and	<u>Mr. Melvin R. Brough</u>	, as principal, and
The above bond is approved this Five Hundred Dollars, on the payment of which sum, well and truly to be made, we do hereby jointly and severally bind nurselves, our heirs, executors and administrators. Signed by us and dated at Port Clinton Ohio, in 10th Day of January 2013. THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, That, Whereas, on the 10th Day of January 2013, the above bound Mr. Melvin R. Brough Fledd a petition with the Clerk of the County Commissioners of Ottawa County, Ohio, making application to the County Commissioners to initiate the process of clean illing, or reconstructing any or all drainage structures or waterways necessary to minimize floodi and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various sections of Harris Township. Petitioned for by Mr. Melvin R. Brough The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 fect North of the SE Corner of Section 16, 16N-R14E in Harris Township, Ottawa County, presently marked by an 18" RCP cross over pip conveying surface runoff from the West side to the East side of Hessville Road, thence proceeding in a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway that may need some form of construction/reconstruction necessary to properly drain the watershe areas being described. Now, if the said memory reports, if the prayer of the petition is not granted or if the Engineer in making preliminary reports, if the prayer of the petition is not granted or if the Engineer is costs from the Bond in accordance with Section 6131.09 of the Revised Code, then this obligation shall be void otherwise it shall be and remain in full force and virtue in law.	and	
The above bond is approved this Five Hundred Dollars, of the payment of which sum, well and truly to be made, we do hereby jointly and severally bind nurselves, our heirs, executors and administrators. Signed by us and dated at Port Clinton Ohio, if the CONDITION OF THE ABOVE OBLIGATION IS SUCH, That, Whereas, on the 10th day of January 2013. THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, That, Whereas, on the 10th day of January 2013, the above bound Mr. Melvin R. Brough Bled a petition with the Clerk of the County Commissioners of Ottawa County, Ohio, making application to the County Commissioners to initiate the process of clean filing, or reconstructing any or all drainage structures or waterways necessary to minimize floodi and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various elections of Harris Township. Petitioned for by Mr. Melvin R. Brough The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, F6N-R14E in Harris Township, Ottawa County, presently marked by an 18" RCP cross over pip conveying surface runoff from the West side to the East side of Hessville Road, thence proceedin a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway hat may need some form of construction/reconstruction necessary to properly drain the watershe areas being described. Now, if the said Mr. Melvin R. Brough will pay the cost of notices, plus any other incidental expenses, except the costs incurred by the Engineer in making noteliminary reports, if the prayer of the petition is not granted or if the petition is for any cause dismissed, unless the Board of County Commissioners decides to pay the Engineer's costs from the distance of the process of the process of the costs incurred b	s surety, are held and firmly bound unto	Ottawa County, Ohio, in the
THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, That, Whereas, on the 10th day of January , 2013 , the above bound Mr. Melvin R. Brough The above bound Mr. Melvin R. County, Ohio, making application to the County Commissioners of Ottawa County, Ohio, making application to the County Commissioners to initiate the process of clean tiling, or reconstructing any or all drainage structures or waterways necessary to minimize floodi and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various sections of Harris Township. Petitioned for by Mr. Melvin R. Brough The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 16N-R14E in Harris Township, Ottawa County, presently marked by an 18" RCP cross over pip zonveying surface runoff from the West side to the East side of Hessville Road, thence proceeding in a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway that may need some form of construction/reconstruction necessary to properly drain the watersheareas being described. Now, if the said Mr. Melvin R. Brough will pay the cost of motices, plus any other incidental expenses, except the costs incurred by the Engineer in making preliminary reports, if the prayer of the petition is not granted or if the petition is for any cause dismissed, unless the Board of County Commissioners decides to pay the Engineer's costs from the Bond in accordance with Section 6131,09 of the Revised Code, then this obligation shall be void otherwise it shall be and remain in full force and virtue in law. The above bond is approved this	Five Hundred of the payment of which sum, well and truly to be made, we can be supported by $\frac{1}{2}$	Dollars,
THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, That, Whereas, on the 10th day of January , 2013 , the above bound Mr. Melvin R. Brough The above bound Mr. Melvin R. County, Ohio, making application to the County Commissioners of Ottawa County, Ohio, making application to the County Commissioners of initiate the process of clean tiling, or reconstructing any or all drainage structures or waterways necessary to minimize floodi and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various elections of Harris Township. Petitioned for by Mr. Melvin R. Brough The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 16N-R14E in Harris Township, Ottawa County, presently marked by an 18" RCP cross over pip conveying surface runoff from the West side to the East side of Hessville Road, thence proceeding an a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway hat may need some form of construction/reconstruction necessary to properly drain the watershe were sheing described. Now, if the said Mr. Melvin R. Brough will pay the cost of notices, plus any other incidental expenses, except the costs incurred by the Engineer in making preliminary reports, if the prayer of the petition is not granted or if the petition is for any cause dismissed, unless the Board of County Commissioners decides to pay the Engineer's costs from the Bond in accordance with Section 6131,09 of the Revised Code, then this obligation shall be void otherwise it shall be and remain in full force and virtue in law. The above bond is approved this	Signed by us and dated at <u>Port Clinton</u>	, Ohio, th
THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, That, Whereas, on the 10th day of January , 2013 , the above bound Mr. Melvin R. brough County, Ohio, making application to the County Commissioners of Ottawa County, Ohio, making application to the County Commissioners to 2 initiate the process of clean ling, or reconstructing any or all drainage structures or waterways necessary to minimize floodi nd erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various ections of Harris Township. Petitioned for by Mr. Melvin R. Brough The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-17. The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-17. The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-17. The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-17. The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-17. The above bond is approved to proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-17. The above bond is approved this		
And the county of the county commissioners of another county. Ohio, making application to the County Commissioners to initiate the process of clean cling, or reconstructing any or all drainage structures or waterways necessary to minimize flooding erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various ections of Harris Township. The following being the course and termini of said proposed improvement, to-wit: Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 160-161. The Harris Township, Ottawa County, presently marked by an 18" RCP cross over pip conveying surface runoff from the West side to the East side of Hessville Road, thence proceeding a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway that may need some form of construction/reconstruction necessary to properly drain the watershow the soling described. Now, if the said		
County, Ohio, making application to the County Commissioners to ² initiate the process of cleaniling, or reconstructing any or all drainage structures or waterways necessary to minimize flooding and erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various sections of Harris Township. **Petitioned for by	<u>10th</u> day of <u>January</u> , 2013 <u>,</u> Brough	, the above bound <u>Mr. Melvin R.</u>
iling, or reconstructing any or all drainage structures or waterways necessary to minimize floodind erosion issues for areas draining into the Held Ditch, Branch 1, as described below, in various ections of Harris Township. **Petitioned for by	iled a petition with the Clerk of the County Commissio	ners of <u>Ottawa</u>
Commencing at a point located approximately 3520 feet North of the SE Corner of Section 16, 16N-R14E in Harris Township, Ottawa County, presently marked by an 18" RCP cross over pip conveying surface runoff from the West side to the East side of Hessville Road, thence proceeding a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway, that may need some form of construction/reconstruction necessary to properly drain the watersheareas being described. Now, if the said	iling, or reconstructing any or all drainage structures or wat and erosion issues for areas draining into the Held Ditch, Br	erways necessary to minimize floodin
The above bond is approved this West side to the East side of Hessville Road, thence proceeding a Northeasterly direction along a meandering swale to the point of intersection with the Held Ditch, or other such adequate outlet. Petition shall also provide consideration of all contributing channels, structures, and/or waterway that may need some form of construction/reconstruction necessary to properly drain the watersheareas being described. Now, if the said	Petitioned for by <u>Mr. Melvin R. Brough</u> The following being the course and termini of said proposed	d improvement, to-wit:
that may need some form of construction/reconstruction necessary to properly drain the watershed areas being described. Now, if the said	Γ6N-R14E in Harris Township, Ottawa County, presently me conveying surface runoff from the West side to the East side na Northeasterly direction along a meandering swale to the	narked by an 18" RCP cross over pipe e of Hessville Road, thence proceeding
notices, plus any other incidental expenses, except the costs incurred by the Engineer in making preliminary reports, if the prayer of the petition is not granted or if the petition is for any cause dismissed, unless the Board of County Commissioners decides to pay the Engineer's costs from the Bond in accordance with Section 6131.09 of the Revised Code, then this obligation shall be void otherwise it shall be and remain in full force and virtue in law. The above bond is approved this	hat may need some form of construction/reconstruction nec	channels, structures, and/or waterways cessary to properly drain the watershed
The above bond is approved this	notices, plus any other incidental expenses, except the costs preliminary reports, if the prayer of the petition is not grant dismissed, unless the Board of County Commissioners decia Bond in accordance with Section 6131.09 of the Revised Co	incurred by the Engineer in making he ted or if the petition is for any cause des to pay the Engineer's costs from th ode, then this obligation shall be void;
The above bond is approved this		
	mel	in Brough
10 th day of Ganuary, 20/3		
	10 th day of Ganuary, 20/3	

^{1.} Five hundred dollars, plus the sum of two dollars for each parcel of land in excess of two hundred parcels averred in the petition to be

benefited.

2. Locate, clean, remove obstructions from, construct, reconstruct, straighten, deepen, wide, alter, box, tile, fill, etc., for proper phraseology see Sec. 6331.04 R.C.

Filed, 20	BOND (To Be Filed with Petition)	PROCEEDINGS TO.	and others	PETITIONED FOR BY	Single or Joint COUNTY DITCH No.	In the matter of the	County, Ohio.	No
• ;	,		thers		,)hio.	